


Collaboration Display

Signage Solutions

65"

Powered by Android

Multi-touch



65BDL4152E

# Interactive display

### Featuring multi-touch technology

This interactive display, powered by Android 14, has up to 40 touchpoints, maximising engagement and collaboration. Toughened anti-glare, anti-reflection and anti-fingerprint glass are ideal for heavy daily use in busy environments.

### **Smart and powerful**

- OPS slot allows PC embedding without cabling
- Android SoC for seamless software and app integration
- Philips Wave-ready for remote display management and control
- Google EDLA certified

### Style and safety built-in

- Built-in ambient light sensor
- Anti-glare and anti-reflection toughened glass 7 MOH
- Blue light filter
- Palm rejection

### Interactive and collaborative

- Advanced IR touch capable of 40 touchpoints
- Philips ScreenShare for wireless casting
- Whiteboard application

Collaboration Display 65BDL4152E/00

# Highlights

### **OPS slot**

Integrate a full-power Windows PC or Chrome OS module directly into your Philips Professional Display. The OPS slot contains all the connections you need to run your slot-in solution, including a power supply.

### **Powered by Android**

Our integrated Android 14 OS has been specially developed to bring a next level secure professional System on Chip. Save your favorite apps and software directly into the display or, choose from the large library of Android apps.

### **Philips Wave-ready**

Your Philips Wave-ready display enables you to manage and maintain this device remotely, wherever you are, whenever you choose. This evolutionary cloud platform puts you fully in control, with simplified installation and set-up, monitoring and controlling displays, upgrading firmware, managing central content needs, and setting power schedules. Saving you time, energy and environmental impact.

### **Google EDLA certified**

Improved user experience, students'engagement, security and app integration is allpart of the service. Directly benefit from Googleapps and services natively, including GoogleClassroom, Docs and Slides, seamlessly integrateChromebooks and other Android-native devicesfor simpler and more intuitive teaching andlearning.

### **Philips ScreenShare**

Teachers, students, or faculty staff can cast from any device, running any OS, on any network, from anywhere. Users can also leverage AirPlay, Google Cast, and Miracast for their wireless casting needs

### **Anti-glare and anti-reflection**

Anti-glare, anti-reflection, anti-fingerprint coatings, 7 MoH hardness.

### **Blue light filter**

Blue light filter to help protect eyes and avoid eye fatigue.

### **Palm rejection**

Palm rejection for enhanced precision.

### Advanced IR touch capable of 40 touchpoints

Create a memorable interactive experience with up to 40 touchpoints at the same time for slick, agile lessons or brainstorming sessions. Perfect for collaborative and co-creation applications, this display connects your audience with any content. Offering enhanced user friendliness with eraser functionality, palm rejection and tip size recognition. Advanced 0-gap IR touch with smaller, shallower bezels.

### **Built-in ambient light sensor**

Built-in ambient light sensors contribute toenergy savings by automatically adjusting thescreen brightness to the surrounding lightingconditions.

### **Embedded whiteboard application**

The embedded whiteboard application enables seamless collaboration and brainstorming directly on the display.

Collaboration Display

65BDL4152E/00

## **Specifications**

### **Picture/Display**

Diagonal screen size (metric): 163.9 cm Diagonal screen size (inch): 64.5 inch

Aspect ratio: 16:9

Panel resolution: 3840 x 2160 Pixel pitch: 0.372 x 0.372 mm

Optimum resolution: 3840 x 2160 @ 60 Hz

Brightness: 400 cd/m<sup>2</sup> Display colors: 1.07 Billion Contrast ratio (typical): 1200:1 Dynamic contrast ratio: 500,000:1 Response time (typical): 8 ms Viewing angle (horizontal): 178 degree Viewing angle (vertical): 178 degree

down, 3D Combfilter, Motion compens. deinterlacing, Progressive scan, 3D MA deinterlacing, Dynamic contrast enhancement

Picture enhancement: 3/2 - 2/2 motion pull

Panel technology: ADS Operating system: Android 14 OS UI resolution: 3840 x 2160 @ 60 Hz

### **Connectivity**

Audio output: 3.5 mm Mini Jack (x1) Video input: HDMI 2.0 (x3), USB 3.0 (x2), USB 2.0 (x1), USB-C (up to 65W), USB-C

Audio input: 3.5 mm mini jack (x1) Other connections: OPS, USB-B (x2), Micro USB

(x1) (OTG)

Video output: HDMI 2.0 (x1)

External control: IR (in/out) 3.5 mm jack, RS232C

(in/out) 2.5 mm jack, Gb LAN x2

Bluetooth: 5.2 BLE

### Convenience

Placement: Landscape (18/7) Screen saving functions: Pixel Shift, Low

**Brightness** 

Keyboard control: Lockable Remote control signal: Lockable

Signal loop through: RS232, IR Loopthrough Other convenience: Carrying handles, NFC,

Bluetooth

Network controllable: RS232, RJ45

Built-in speakers: 2 x20 W

### **Power**

Mains power: 100 ~ 240 VAC, 50 ~ 60 Hz Consumption (Typical): 132 W Standby power consumption: <0.5W **Power Saving Features: Smart Power** Energy Label Class: G. EPEAT Silver.

### **Supported Display Resolution**

Computer formats: 800 x 600, 56, 60, 72, 75Hz, 848 x 480, 60Hz, 1024 x 768, 60, 70, 75, 85Hz, 1152 x 864, 75Hz, 1280 x 960, 60, 85Hz, 1280x1024, 60,67,75Hz, 1360 x 768, 60Hz, 1366 x 768, 60Hz, 1600 x 1200, 60Hz, 1920 x 1080, 60Hz, 1920 x 1200, 60Hz, 3840 x 2160, 24,25,30,60Hz

Video formats: 480p, 60Hz, 720p, 50, 60Hz, 1080i, 50, 60Hz, 1080p, 50, 60Hz, 2160p, 50, 60Hz, 480i, 60Hz

### **Dimensions**

Set Width: 1492.02 mm Set Height: 892.28 mm **Set Depth: 116.15 mm** Set Width (inch): 58.74 inch Set Height (inch): 35.13 inch Wall Mount: 500x400mm,M8 Set Depth (inch): 4.57 inch

Bezel width: 16.7mm(T/R/L), 41.9mm(B)

### Weight

Product with packaging (kg): 42.8 kg Product with packaging (lb): 94.36 lb Product without stand (kg): 34.7 kg Product without stand (lb): 76.50 lb

### **Operating conditions**

Altitude: 0 ~ 3000 m

Temperature range (operation): 0 ~ 40 °C

MTBF: 50,000 hour(s)

Temperature range (storage): -20 ~ 60 °C Humidity range (operation)[RH]: 20 ~ 80%

(without condensation)

Humidity range (storage) [RH]: 5 ~ 95% (without

condensation)

### **Multimedia Applications**

USB Playback Video: H.263, H.264, H.265, MPEG1/2, MPEG4, VP8, VP9

USB Playback Picture: BMP, JPEG, PNG, WEBP USB Playback Audio: AAC, HEAAC, MPEG

### **Internal Player**

CPU: 4xA73 + 4xA53 GPU: Multi-Core Mali-G52

Memory: 8GB Storage: 32 GB eMMc Wifi: 2T/2R 2.4/5/6 GHz

#### **Accessories**

Included Accessories: Philips logo (x1), Quick start guide (x1), USB A to B cable (3m) (x1), AC Power Cord, AC switch cover & Screw x1, Cleaning cloth (x1), Remote control & AAA batteries, Touch Pen (x2)

Optional accessories: Pen tray with 3x color stylus and eraser

### Miscellaneous

On-Screen Display Languages: Arabic, Dutch, Danish, English, French, Finnish, German, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Simplified Chinese, Turkish, Traditional Chinese

Warranty: 5 year warranty Regulatory approvals: CE, FCC, Class A, RoHS, CB,

EAC, EMF, ETL

### **Interactivity**

Multi-touch technology: 0-gap Infrared touch Touch points: 40 simultaneous touch points

Plug and play: HID compliant

Protection glass: Anti-Glare, Tempered safety

glass 7MOHS, Blue light filter

© 2025 Koninklijke Philips N.V. All Rights reserved

Issue date 2025-10-03

EAN: 87 12581 80609 5

www.philips.com





Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.