

HP Designjet T120 ePrinter series

An easy-to-use, Web-connected 24-inch printer





More for your money

- Two printers in one. Print from Letter to D using the B+ tray or 24-inch wide front-loading media roll.
- Install your printer where it's most convenient and work where you want, thanks to Wi-Fi connectivity⁽¹⁾.
- Take control of your print jobs by plotting them in-house, saving time and money.
- Help reduce downtime and improve productivity by using Original HP inks.

Compact and easy to use

- Easily fit this printer—the smallest in its class—where you need it in your studio.
- The intuitive, full-color, 4.3-inch touchscreen simplifies navigation and printing.
- Complete your work quickly and accurately, thanks to true print previews from the driver.

Print from virtually anywhere

- Use your Apple® or Android™ smartphone or tablet to print from virtually anywhere⁽².
- Access and print projects when you're away from your studio, using HP Designjet ePrint & Share⁽²⁾.
- Automatically save copies of your work to the cloud when you print using HP Designjet ePrint & Share⁽²⁾.
- Email projects to your HP Designjet T120 ePrinter and print, thanks to its Web connectivity features⁽²⁾.

For more information, please visit: hp.com/go/DesignjetT120

HP Designjet ePrint & Share allows you to print to your HP Designjet ePrinter from your Apple® or Android™ smartphone or tablet—helping you get work done even when you're away from the studio¹¹. hp.com/qo/eprintandshare

⁽¹ Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

⁽² Requires an HP Designjet ePrint & Share account, Internet connection to the printer, and connected Internet-capable device. When using the HP Designjet ePrint & Share mobile app, a compatible Apple® iOS or Android™ device and Internet connection are required. Data or connection charges may apply. Print times may vary. For more information visit hp.com/go/eprintandshare.

HP Designjet T120 ePrinter series

Technical specifications

	Line drawings (3	70 coc/page on A1/D 40 A1/D prints per hour	
Print	Line drawings ⁽³⁾	70 sec/page on A1/D, 40 A1/D prints per hour	
	Color images ⁽⁴	Fast: 22.4 m²/hr (241 ft²/hr) on coated media Best: 2.3 m²/hr (25 ft²/hr) on glossy media	
	Print resolution	Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi and Optimization For Photo Paper selected	
	Margins (top x bottom x left x right)	Roll: 5 x 5 x 5 x 5 mm (0.2 x 0.2 x 0.2 x 0.2 in) Sheet: 5 x 17 x 5 x 5 mm (0.2 x 0.67 x 0.2 x 0.2 in)	
	Technology	HP Thermal Inkjet	
	Ink types	Dye-based (C, M, Y); pigment-based (K)	
	Ink drop	5.5 pl (C, M, Y); 12 pl (K)	
	Printheads	1 (C, M, Y, K)	
	Line accuracy	+/- 0.1% ⁽⁵⁾	
	Minimum line width	0.04 mm (0.0016 in) (HP-GL/2 addressable)	
	Guaranteed minimum line width	0.07 mm (0.0028 in) (ISO/IEC 13660:2001(E)) ⁽⁶	
Media	Handling	Sheet feed, roll feed, input tray, automatic cutter	
	Weight	60 to 280 g/m² (roll/manual feed); 60 to 220 g/m² (input tray)	
	Size	210 to 610-mm (8.3 to 24-in) wide sheets; 279 to 610-mm (11 to 24-in) rolls	
	Thickness	Up to 11.8 mil	
Memory	256 MB		
Connectivity	Interfaces (standard)	Fast Ethernet (100Base-T), Hi-Speed USB 2.0 certified, Wi-Fi	
	Print languages (standard)	HP PCL 3 GUI, JPEG	
	Drivers (included)	HP PCL 3 GUI driver for Mac OS X and Windows®	
Dimensions	Printer	987 x 530 x 285 mm (38.9 x 20.9 x 11.2 in)	
(w x d x h)	Shipping	1141 x 620 x 415 mm (44.9 x 24.4 x 16.3 in)	
Weight	Printer	25.5 kg (56.2 lb)	
•	Shipping	30 kg (66.1 lb)	
What's in the box	HP Designjet T120 ePrinter, printhead, introductory ink cartridges, quick reference guide, setup poster, startup software, power cord		
	Operating temperature: 5 to 40°C (41 to 104°F)		
	Storage temperature: -25 to 55°C (-13 to 131°F)		
	Operating humidity: 20 to 80% RH		
	Sound pressure: 48 dB(A) (active); < 16 dB(A) (standby)		
	Sound power: 6.5 B(A) (active); < 3.4 B(A) (standby)		
Power consumption	< 35 watts (printing), < 4.5 watts (powersave), < 0.3 watts (standby)		
	Input voltage (auto ranging) 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz), 1200 mA max		
Certification	Safety	USA and Canada (CSA certified), EU (LVD and EN 60950-1 compliant), Russia (GOST), Singapore (PSB), China (CCC), Mexico (NYCE)	
	Electromagnetic	Compliant with Class B requirements, including: USA (FCC rules), Canada (ICES), EU (EMC/R&TTE Directives), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI); Certified as Class A product: Korea (KCC)	
	Environmental	Energy Star, WEEE, EU RoHS, REACH, EuP, FEMP	
Warranty	One-year limited hardware warranty		
	· · · · · · · · · · · · · · · · · · ·		

Ordering information

3		
Product	CQ891A	HP Designjet T120 24-in ePrinter
Accessories	B3Q35A	HP Designjet T120 24-in Stand
	B3Q36A	HP Designjet T120/T520 24-in Spindle
Original HP printhead	C1Q10A	HP 711 Designjet Printhead Replacement Kit
Original HP ink cartridges	CZ129A	HP 711 38-ml Black Ink Cartridge
	CZ130A	HP 711 29-ml Cyan Ink Cartridge
	CZ131A	HP 711 29-ml Magenta Ink Cartridge
	CZ132A	HP 711 29-ml Yellow Ink Cartridge
	CZ133A	HP 711 80-ml Black Ink Cartridge
	CZ134A	HP 711 3-pack 29-ml Cyan Ink Cartridges
	CZ135A	HP 711 3-pack 29-ml Mag Ink Cartridges
	CZ136A	HP 711 3-pack 29-ml Yellow Ink Cartridges
Original HP large format printing materials	C1860A	North America, Latin America #P Bright White Inkjet Paper (FSC® certified) ¹⁷
	C6035A	Europe, Asia
	C6019B	HP Coated Paper (PEFCTM certified) 17 6 610 mm x 45.7 m (24 in x 150 ft)
	C6029C	HP Heavyweight Coated Paper (PEFC™ certified) ⁽⁷ 🛟 ⁽⁸ 610 mm x 30.5 m (24 in x 100 ft)
	CZ987A	HP Premium Satin Photo Paper (FSC" certified) $^{\prime\prime}$ 610 mm x 15.2 m (24 in x 50 ft)

Use Original HP inks and printheads to experience consistent high-quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system to provide precise line accuracy⁽⁹⁾ as well as dark blacks and true neutral grays⁽⁹⁾. For more information, visit hp.com/go/OriginalHPinks

For the entire HP Large Format Printing Materials portfolio, please see hp.com/go/LFPrintingMaterials

Service and support	U1V95E	HP 3 year Next Business Day Onsite Support
	U1W29E	HP 3 year 4-hour response, 13x5 Onsite Support
	U1W34PE	HP 1 year Post Warranty, Next Business Day Onsite Support
	U6A00PE	HP 1 year Post Warranty, 4-hour response, 13x5 Onsite Support

- (3 Mechanical printing time. Printed in Fast mode on plain paper.
- (4 Mechanical printing time.
- (5 +/-0.1% of the specified vector length or +/-0.2 mm (whichever greater) at 23 °C (73 °F), 50-60% relative humidity, on A0/E printing material in Best or Normal mode with HP Matte Film.
- (6 Measured on HP Matte Film.
- (7 FSC® trademark license code FSC®-C017543, see fsc.org. PEFC™ trademark license code PEFC™/29-31-198, see pefc.org.
- (8 Can be recycled through commonly available recycling programs.
- (9 Applicable to HP Designjet T-series Printers, ePrinters, and eMFPs. True neutral grays produced by printers compatible with the HP Three-black ink set.























© Copyright 2012 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Windows is a U.S. registered trademark of Microsoft Corporation.

